

PERSONAL PROTECTIVE EQUIPMENT

SAMPLE RANGE

FOR OUR FULL RANGE OF PRODUCTS
SPEAK TO YOUR LOCAL REPRESENTATIVE
OR CONTACT THE OFFICE ON

01928 576262

ARVEN CHEMICALS LTD
GODDARD ROAD
ASTMOOR INDUSTRIAL ESTATE
RUNCORN
CHESHIRE, WA7 1QF





ARVEN CHEMICAL





Respirator EN 149 FFP1 NR



Comfort: Cup shape. Exhalation valve for lighter breathing resistance. Adjustable nose clip for optimised fit.







ACCESSORIES, FILTERS AND REPLACEMENT ITEMS AVAILABLE **UPON REQUEST**




























KN

Non-vented premium level goggle. Excellent protection against large dust particles, gas and fine dust particles, such as from liquid splantes. High impact resistance, tested at extremes of temperatures -5°C to +55°C. Can be worn with prescription glasses, thanks to its increased flexibility.

Compatible with the PW23 shield, increasing the level of face protection for the wearer.









AF AS Secrete As a second of vision Superior protection against harmful splants and large dust particles.
Compatible with PW23 google shield, increasing the level of face protection for the wearer.
Polycarbonate















These frame-less safety glasses are designed with safety, comfort and style in mind. Featuring soft rubber arms with moulded nose bridge and browguard.



Polycarbonate

Market Amber, Clear, Smoke



PW36 Hi-Vision Spectacle



The Hi-Vision Spectacle features a dual eight-base, wrap-around unilens for superior peripheral coverage and protection of the entire eye area. Lightweight and impact resistant, the polycarbonate lens is treated with anti-scratch and anti-fog coating. Adjustable leg length to improve fit.



Polycarbonate
Clear, Smoke





Curvo Spectacle EN 166 1 F EN 170 2C-1.2 (CLEAR) ANSI/ISEA Z87.1



Curved lens with adjustable arms length and inclination. Soft nose bridge for extra comfort.



Polycarbonate

Clear





PW37 Bold Pro Spectacle



Dual lens with soft rubber nose bridge and temple grips in various colours.







Polycarbonate
Clear Lens, Blue Temple, Clear Lens, Orange Temple, Clear Lens, Red Temple





A150 Fortis Grip Glove - Latex EN 420, EN 388 ANSLASEA 105-2011

SECACTED CO

OS OSTONO

ARVEN CHEMICALS



















































DermiFlex Glove - PU/Nitrile

Foam EN 420, EN 388 ANSI/ISEA 105-2011

Nylon, Spandex, PU, Nitrile Foam Black 5/7 – XXL/11


























A185 Duo-Therm Glove - Latex EN 420, EN 388, EN 511

The A185 uses the latest techniques to produce an excellent and durable glove. An extra layer of winkled latex is added to the high-wearing fingering areas of the glove only, which improves gip and durability, while reducing hand fatigue. The thermal liner provides added warmth for the hand.

Polyester, Latex
Orange/Blue, Yellow/Blue M/8 - XXL/11















All-Flex Grip Glove - Nitrile

The "All-Hex" super light glove oddresses the need in the marketplace for an ergonomically designed glove providing grater comfort and quality, an elostical kint wints liner mean a comfortable sing fit while the halt coverage of nitrile provides high abazion resistance, superior liquid resistance, great flexibility and grip.











Best Selling Rigger Gloves

Canadian Rigger Glove EN 420, EN388 ANSURSEA 105-2011













A640 Sabre-Dot Glove - PVC EN 420, EN 388, EN 407

HPPE, Glass fibre, PVC















A225 Fleece Lined Rigger Glove

Cow Split Leather, Fleece











A400

PVC Knitwrist EN 420, EN 388

Cotton, PVC















A625 Vis-Tex5 Cut Resistant Glove - PU EN 420, EN 388, EN 407

















A310 Flexo Grip Nitrile Glove

For Precision Handling







FW34 Steelite** Lusum Safety Trainer S1P HRO

12 C€ ASTM F2413-11

Low profile safety trainer with eye catching two tone colouring. Heat resistant rubber outsole with steel toecap and miduole. Black/Orange, Black/Yellow, Black/Red Euro 36-46, UK 3-13
Cox Sozeda Lea ther
EVA/Nubber - Outsele F15









FW33 Steelite™ Arx Safety Trainer

\$1P HRO EN 150 20345:2011 ASTM F2413-11

A sporty fow out safety trainer with steel toecap and midsole. Ideal for use in light industrial work.

Black Euro 36-48, UK 3-13
White Euro 36-48, UK 3-13
Split Leather
EVA/Rubber-Outsole F15





10 € \$1P Tesk for boot in a workwear friendly colour combination of black-grey with breathable inner lining and closed eyelets.

Black Buro 36-48, UK 3-13







FW64 Steelite Trekker Shoe S1P ₽ (€

Breat hable, strong and flexible style.
Steel foecas, middole and oil resistant outside will give you peace of mind when working. 1

Black Euro 3d-48, UK 3-13
Cow Suede Leather
PU/PU - Outsole F12











DuPont™ and Kevlar® are Trademarks or registered Trademarks of E.I. du Pont de Nemours and Company

Apron Apron ENISO 11611 CLASS 2 A1

Premium quality welding apron made of split cowhide leather with stitching made from DuPont™ Kevlar*. The apron protects the torso and upper legs when welding and is designed to last in the toughest environment. The adjustable straps and a quick release buckle ensures that the apron is secure

and has a perfect fit.

Split Cowhide Leather
Golden Brown
91cm X 58cm



SW20 Leather Welding Sleeves EN ISO 11611 CLASS 2 A1



Split Cowniae Lead...

Golden Brown 40cm Split Cowhide Leather



length, One Pair





Exceptional comfort and durability, this book will precit with steel locked, and 30°C heat resistant outside. The full grain teather upper provides a Gusse, long leading style.

Recurr, Honey Euro
39-48, UK 6-13
Full Grain Crazy Horse/Full
Grain Nubuck Leather
Rubber - Outsole F07





PW79

Hi Vis Bump Cap



Modern style bump cap in Hi-Visibility colours. Mesh panel on the back which, together with covering the ventilation holes on the internal shell, help cooling comfort.



Cotton, Mesh, ABS, EVA Orange, Yellow Adjustable 54-59 cm









PW50

Endurance Safety Helmet EN 397 -10°C/+50°C, LD, 440V EN 50365 CLASS:0 ANSI/ISEA Z89.1 TYPE I CLASS E



High-density polypropylene shell helmet, 4 points plastic suspension harness. Buckle adjustable size 55-62cm. Soft sweat band included.



PP Blue, Green, Orange, Red, White, Yellow Adjustable 55-62cm





EN 50365





searing, function flap and multiple



100% Polyester, 3000 Oxford We resistant floids, PU Costeel, 190g







B905 Hi-Vis Rucksack

Ideal for workers, cyclists or school children who use highly reflective accessories to make them more visible to motorists. Comes complete with an integrated MP3/mobile phone pocket, multiple pockets and padded back panel for comfort. The fabric and reflective tape meets the requirements of GO/RT 3279 (orange only) & EN ISO 20471.

100% Polyester 600D Fabric 210T PA Coated Fabric

Orange, Yellow Capacity 25 Litres L28cm x W21cm x H43cm







Hi-Vis Polycotton Vest

EN 150 2047F CLASS 2
introducing a new style using a lightweight 65%/35% polycotton fabric. This vest is robust & disable and provides comfort & safety in a variety of working environments. Features include a dual ID holder and front 3b fastening for case of west.

65% Polyester, 35% Cotton 245g





Hi-Vis Vest - Dual ID Holder EN ISO 20471 CLASS 2

100% Polyester, Warp Knit, 125g Yellow:







Hi-Vis Mesh Vest EN ISO 20471-CLASS 1 ANSI/ISEA 107 CLASS 2:2









Hi-Vis Two Band Vest

100% Polvester Warp Knit, 125g

Orange, Yellow:
S/M, L/XL, XXL/3XL,
4XL/5XL

Red S/M, L/XL, XXL/3XL

















[30]

Som Polyester, 50% Cotton 350g







Portwest Knee Pad
EN 14404:2004+A1:2010 TYPE2 LEVEL 0 66 The ultimate in linee protection and wearer comfort. Exponemically designed linee pack providing threability, confort and protection. The protection is not hinder the wearer in any way when waking. €

EVA Foom Black 21,5cm X 16.5cm





KP30 Super Gel Knee Pad EN 14404:2604+A1:2010 TYPE 1 LEVEL 0 36

€

PVC Shell, Nylon, EVA Foam, Noopre



F205 Aran Fleece **a**

100% Polyester, Anti-Pill finish Fleece, 280g



BIZZ Bizweld long Coverall

EN NO 11012 A1-A2, B1, C1, B1, F1

EN SO 11012 CLASS 1 A1-A2

NFPA-7012

ASTM F1506-10A

ASTM F1509/F1559M-12 ATPV-11,2 CAL/CM* [HAF-80,4%] Black, Navy, Orange, Red, Royal

A 81

The Bizweld ions Coverall offers visible protection to the wearer. Clever design features include flame resistant reflect the tope on the shoulders, sleeves and legs, the option to insert knee pads when needed, ample storage spoce and a rule pocket. A very popular style.









C887 comes with the addition of elastication at the waistband. This allows for even greater comfort and ease of movement.

Xingsmill 245g

Reg: Black 5 – 3XL; Tall: Black 5 – 3XL W

\$999 Euro Work Polycotton Coverall

6

Winning include. working

W 50. UPF

	Dottle dieen	3 - 226	
ng features of this durable coverall	Navy	XS - 5XL	5 - 3XL
e, two chest pockets, one rule pocket	Red	S - XXL	
oncealed stud front. Perfect for all your	Royal	S-3XL	
g requirements.	Spruce	S - XXL	
3			

Reg Tall







Webbing Lanyard With Shock Absorber EN 355

This lanyard is made with polyester webbing and includes an energy absorber, a self locking carabiner and scaffold hook. It is 180cm long including connectors.

XX Polyester Webbing






FP22 Adjustable Restraint Lanyard EN 354

EN 358

Adjustable rope lanyard ideal for work restraint. It is 200cm long including connectors.

Polyester Rope X White





Double Lanyard Elasticated With Shock FP52

Absorber

EN 355

This double ended elasticated lanyard features a shock absorber, two scaffold hooks, a carabiner and is made from elasticated polyester webbing. It is 180cm long including connectors when fully extended.

Polyester Webbing ■ High-Visibility Yellow



Tool Lanyard



Essential for anyone working at height the tool lanyard can be attached to the user's wrist or person. This can be done using the carabiner or elasticated drawstring, leaving the other end attached to your tool. This item prevents your tool from becoming a dangerous falling object and a safety hazard when working at height.











FP12

Portwest 2 Point Harness





Lightweight harness with a sliding dorsal D-Ring. Features two chest loops and an adjustable quick release chest strap. Constructed using polyester webbing straps.



 Polyester Webbing Red/Blue One Size







Portwest 1 Point Harness

EN 361



Suitable for Fall Arrest or Work Restraint systems our entry level full body harness is light weight and easy to use allowing you a secure fit.



🂢 Polyester Webbing Polyester Wessell & Red/Blue One Size





FP64

Scaffolding Kit

Parted Beams, Bars and Lifelines - Positioning **Towers and Steel Erectors - Mast** Maintenance, etc



This kit will allow the user to transfer between points where a single lanyard would temporarily leave the user unprotected. Suitable for a fall arrest or work restraint



- Double Lanyard with Shock Absorber Carabiner and 2 Scaffold Hooks
- **Nylon Drawstring Bag**



systems.



C421 Fall Arrest Hi-Vis Vest EN ISO 20471 CLASS 1





